



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/820,352	04/08/2004	Markus Hartmann	DT-6785	8129

30377 7590 07/05/2006

DAVID TOREN, ESQ.
ABELMAN FRAYNE & SCHWAB
666 THIRD AVENUE
NEW YORK, NY 10017-5621

EXAMINER

LANDRUM, EDWARD F

ART UNIT	PAPER NUMBER
----------	--------------

3724

DATE MAILED: 07/05/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/820,352

Applicant(s)

HARTMANN, MARKUS

Examiner

Edward F. Landrum

Art Unit

3724

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 05 May 2006.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-9 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-9 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____

DETAILED ACTION

Claim Objections

1. Claim 1 is objected to because of the following informalities: the word "an" should be replaced with --and-- in the final line of the claim. Appropriate correction is required.

Claim Rejections - 35 USC § 112

2. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

3. Claims 1-9 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Claim 1 recites the limitation "the supporting regions" in line 11. There is insufficient antecedent basis for this limitation in the claim.

Claim Rejections - 35 USC § 103

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. Claims 1-6 are rejected under 35 U.S.C. 103(a) as being unpatentable over Gerritsen (U.S Patent No. 5,421,091) in view of Hall (U.S Patent No. 2,663,291).

Gerritsen teaches (see Figure 1) a motor driven reciprocating saw comprising a housing (12), guide means (25) with a connection element (28) that is releasably

Art Unit: 3724

connectable to the housing (12). The housing (12) has a connection means (20 and 45) the plunger (45) being adjustable. The plunger has a spring (52) attached to it for biasing the adjusting device (45) to a locking position. Both grooved support arms on the connection element (28) of the guide means (25) are released in the same direction (see Figure 1). The plunger (45) moves away from the housing side (20a) when releasing the guide means (25) from the housing. Moreover, the plunger (45) has two separate parts; an actuation element (54) is located on one side and an adjusting element (46) on the other. Lastly, all of the moving parts of the adjusting device (20, 54, and 46) and the housing (12 as shown by crevice 20b)) have a common release direction.

Gerritsen teaches all of the elements of the current invention as stated above except the spring member being a rectilinear springy bar secured to the housing by a screw.

Hall teaches (Col. 2, lines 20-38; also see Figure 2) a button/trigger element (22) attached to a straight spring bar (20). The spring bar (20) is attached to the housing (10) with a single screw (21). When the trigger (22) is depressed the spring moves thereby releasing a projected device. When the trigger (22) is released the spring moves back into its normal holding position.

It would have been obvious to have modified Gerritsen to incorporate the teachings of Hall to provide a adjustment device that is easier to manufacture while still providing the spring bias necessary to keep the adjusting element in place while the saw is in use. Using such a spring would allow the actuation element to be located at a

Art Unit: 3724

location other than directly underneath or above the adjusting element thereby allowing a manufacturer to place the actuation element at a place along the handle of the saw that would be more economic and easier to use.

Furthermore, it would have been an obvious matter of design choice to modify Gerritsen by attaching a rectilinear spring member for the purpose of changing the location of the spring member, since applicant has not disclosed motivation that having the spring member be rectilinear solves any stated problem or is for any particular purpose and it appears that the adjusting device would perform equally well with the spring being of any type.

If applicant contends that the adjustment and actuation device of Gerritsen requires a larger amount of mounting space which results in bad handle ergonomics, and that the adjustment and actuation devices cost more to produce it should be noted that the adjusting and actuation devices of the instant application require more parts, and based on the drawings appear to require more space within the handle.

6. Claims 7 and 8 are rejected under 35 U.S.C. 103(a) as being unpatentable over the modified device of Gerritsen in view of Osada et al (U.S Patent No. 6,523,267), hereinafter Osada, in further view of Smolinski et al (U.S Patent No. 5,992,540), hereinafter Smolinski.

The modified device of Gerritsen teaches all of the elements of the current invention as stated above except the saw comprising a hand-protecting member securable to the housing and covering the actuating element.

Art Unit: 3724

Osada teaches (see Figure 5) providing a cover (24c and h) securable to the neck of a reciprocating saw for the purpose of keeping heat away from a user's hands while also making the saw easier to handle by increasing the coefficient of friction between the saw and the user's hands (Col. 4, lines 47-58).

Smolinski teaches (see Figure 6) providing a cover for a hand tool further comprising a cover (57) made of flexible material for a button found on the device (Col. 4, lines 23-37).

It would have been obvious to have modified the modified device of Gerritsen to incorporate the teachings of Osada and Smolinski to provide a cover that enabled a user to grip the saw better and reduce any heat associated with using the saw while also providing a cover to not allow any material from entering the saw around the adjustment element that could potentially cause the adjustment element to break.

7. Claim 9 is rejected under 35 U.S.C. 103(a) as being unpatentable over the modified device of Gerritsen in view of Stowell et al (U.S Patent No. RE37,190), hereinafter Stowell.

The modified device of Gerritsen teaches all of the elements of the current invention as stated above except for the flexible region of the cover above the button having a rippled surface.

Stowell teaches (Col. 3, lines 66-67; Col. 4, lines 1-4; also see Figures 1, 2, and 7) the use of elastomeric fins to enhance a user's grip at a meant to be depressed by the user.

It would have been obvious to have modified the modified device of Gerritsen to incorporate the teachings of Stowell to provide a rippled surface to enhance a user's grip at a button depressing location so the user would have an easier time depressing the button.

Response to Arguments

8. Applicant's arguments filed 5/5/2006 have been fully considered but they are not persuasive.

The device of Gerritsen shows that all parts associated with adjusting the guide means of the saber saw have a common release direction.

Hall is a relevant reference because like Gerritsen, Hall uses a spring, attached to a handle, to return an actuator to its a resting position after the actuator has been released. Therefore there is a relevant search in class 267, and any other class involving springs being used to return an actuator back to a resting position.

In regards to applicant's remarks that the spring disclosed in Hall would not work in a vibrating power saw, the spring disclosed in Hall is a standard rectilinear spring much like the one disclosed in the instant application. Stating that the spring would not work in a power saw is an opinion. Furthermore, it would seem that if the rectilinear spring of Hall could not perform the function of holding the support bar of a guide shoe during the operation of a power saw then the rectilinear spring of the instant application would have the same inherent drawbacks.

Conclusion

9. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Roe (U.S Patent No. 6,272,757) teaches the use of a spring biased adjustment device on a reciprocating saw. Livermont (U.S Patent No. 2,371,901) teaches the use of a rectilinear spring bar. Reed (U.S Patent No. 1,984,430), and Nowak et al (U.S Patent No. 6,574,015) teach covers for hand tools.

10. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

11. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Edward F. Landrum whose telephone number is 571-272-5567. The examiner can normally be reached on Monday-Friday 8-4:30.

Art Unit: 3724

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Boyer Ashley can be reached on 571-272-4502. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

EFL

6/21/2006



BOYER D. ASHLEY
SUPERVISORY PATENT EXAMINER